

JUMP TO A SERIES

AR ACCESSORIES

160

Oversized Bolt Catch

Ambidextrous 45/90 Safety Selectors

Oversized Trigger Guards

Ambidextrous Extended Magazine Releases

Quick Install Dust Cover

CZ SCORPION ACCESSORIES

161

162

163

164

Charging Handles

Safety Selectors

MUZZLE DEVICES & GAS BLOCKS

QD SLING SWIVELS & ADAPTORS

RAIL SECTIONS & COVERS

TOOLS & MAINTENANCE 165

(THIRD PARTY TRADEMARKS MAY BE USED IN THIS CATALOG FOR USER CONVENIENCE TO INDICATE THE FIT OR COMPATIBILITY OF THE APPLICABLE PRODUCT.)





AR ACCESSORIES

/ TLT-TKS01



OVERSIZED BOLT CATCH



- » Serrated and Oversized Bolt Release and Extended Catch for Easier Reach and Manipulation
- » Steel Construction Finished in Matte Black Anodization
- » Includes Installation Hardware
- / TLT-TKSBC

AMBIDEXTROUS 45/90 SAFETY SELECTOR

- » Reversible Short and Long Oversized Levers Finished in a Matte Anodization
- » Aluminum and Steel Construction
- » 45° or 90° Throw Configurable
- » Includes Installation Tool. Hardware, Detent, and Detent
- / TLT-TKSLT / TLT-TKSLTB
- / TLT-TKSLTR

AMBIDEXTROUS EXTENDED MAGAZINE RELEASE



» Enlarged Open Geometry Provides Easier and Safer Access to Trigger Particularly when Wearing Gloves

OVERSIZED TRIGGER GUARD

- Finished in Matte Anodization
- » Includes Installation Tool and Hardware
- / TLT-TKSTG / TLT-TKSTGB
- / TLT-TKSTGR

- » Features Oversized and Extended Left and Right Side Releases for Easier Reach and Manipulation
 - » Aluminum and Steel Construction Finished in Matte Anodization
 - » Includes Installation Tool and Hardware
 - / TLT-TKSMR / TLT-TKSMRB
 - / TLT-TKSMRR

OUICK INSTALL DUST COVER

- » Matte Black Impact and Heat Resistant Polymer Construction with Steel Spring-loaded Detent
- » Patented Tool-free Design Quickly Installs Without Having to Remove The Handguard Prior
- » Compatible with all .223/5.56 Mil-spec. and Most Billet Upper Receivers
- » US PAT. 10393467



CZ® SCORPION ACCESSORIES



CHARGING HANDLE FOR CZ® SCORPION™ EVO 3

- » Reversible for Left or Right Side Drop-in Installation
- » Extended and Partially Serrated Handle with Dehorned Corners and Melted Contours
- » Steel Guide with 6061-T6 Aluminum Handle Finished in a Matte Black, Red, or Blue Anodization
- » Compatible with Both Pistol and Carbine Models
- / TLT-CSCH01 / TLT-CSCH01B / TLT-CSCH01R

SAFETY SELECTORS FOR CZ[®] SCORPION™ EVO 3


- » Machined from 6061-T6 Aluminum Finished in a Matte Black, Red, or Blue Anodization
- » Drop-in Installation, No Permanent Modification Required
- » Compatible with Both Pistol and Carbine Models
- » Extended and Partially Serrated Selectors with Dehorned Corners and Melted Contours
- » Ergonomic Thumb Index for Ease of Manipulating Safety On and Off
- / TLT-CSSLT01
- / TLT-CSSLT01B
- / TLT-CSSLT01R



UTG PRO®

SLING SWIVEL ADAPTORS

- » Precision Machined from 6061-T6 Aircraft Aluminum with a Matte Black Anodization
- » Accepts Any Standard Quick Detach Sling Swivel with 0.37" Diameter Swivel Stud
- » Designed with Quarter Turn Rotational Over Travel Stops to Restrict Swivel Movement
- / M-LOK[®] / TLUSW001





ANGLED OD SLING SWIVEL PICATINNY **ADAPTOR**

PICATINNY SLING SWIVEL MOUNT WITH

» Solid Steel 1.25" Sling Loop Compatible with Most Slings

» Precision Machined Aircraft Aluminum and Steel

Construction with a Matte Black Finish

- » Accepts Any Standard Quick Detach Sling Swivel with 0.37" Diameter Swivel Stud
- » Precision Machined from Aircraft Aluminum with a Matte Black Finish
- » Low Profile and Lightweight Design with 45° Offset
- » Designed with Quarter-turn Rotational Over Travel Stops to Restrict Swivel Movement
- / TL-SWPM01

QD SLING SWIVELS & ADAPTORS

1.25" LOOP

on the Market

/ TL-SWMTP01

KEYMOD OD SLING SWIVEL ADAPTOR

- » Compact, Lightweight, Super Low Profile Keymod Base » Accepts Any Standard Quick Detach Sling Swivel with
- 0.37" Diameter Swivel Stud » Precision Machined from Aircraft Aluminum with a Matte Black Finish
- / TL-SWKM01



AR15 OD RECEIVER END PLATE

- » Compatible with Standard Mil-spec AR15 Lower Receiver
- » Solid Steel Construction with a Matte Black Finish
- » Accepts Any Standard Quick Detach Sling Swivel with 0.37" Diameter Swivel Stud
- » Designed with Quarter Turn Rotational Over Travel Stops to Restrict Swivel Movement
- / TL-T6TD03



PICATINNY/KEYMOD QD SLING SWIVEL **ADAPTOR**

- » Innovative, Compact, and Lightweight Design Adaptable for Installation on Both Picatinny or Keymod Rails
- » Accepts Any Standard Quick Detach Sling Swivel with 0.37" Diameter Swivel Stud
- » Precision Machined from Aircraft Aluminum with a Matte Black Finish
- / TL-SWPK01



» Low Profile, Fits Underneath Most Free Float Handguards

- » Precision Machined Steel to Exacting Tolerances for .750" Diameter Barrels at the Gas Port
- » Durable and Corrosion Resistant Manganese Phosphate Finish

AR15 MICRO GAS BLOCK

- » Includes Gas Tube Roll Pin. Serrated Selflocking Set Screws, and Installation Tool

/ MNT-ARMGB01

AR15 BLANK FIRING ADAPTOR

- » Precision Machined High Strength Steel Construction
- » Color Coated for Protection and Discernibility
- » Reinforced Frame Surpasses Military Standards » Ideal for Law Enforcement and Military Training
- » User Friendly Bolt Ring for Simple Installation and Removal
- / MNT-16AD2-C







ACCESSORIES & PARTS

UTG PRO®

MUZZLE BRAKES

» Up to 50% Recoil Reduction

9 MM | 1/2"X28

/ TLUMD03

» Steel Construction Finished in Black Nitride

» 1/2"-28 UNEF Thread Compatible, Crush Washer Included

» Gas Dispersion Porting Reduces Felt Recoil and Muzzle Rise

/ TLUMD01

IUZZLE DEVICES & GAS BLOCK



.223/5.56 | 1/2"X28

/ TLUMD02



STEEL QD SLING **SWIVELS**

High Strength Steel Construction with a Matte Black Finish













	1.09" LOOP	1.25" LOOP	1.29" C-SHAPE LOOP	1.38" LOOP	1.41" LOOP
	TL-QDSW08A	TL-QDSW08B	TL-QDSW08C	TL-QDSW18	TL-QDSW38
A-Loop Width	1.09"	1.25"	1.29"	1.38"	1.41"
B-Loop Thickness	0.13"	0.13"	0.13"	0.17"	0.18"
- Push Button Diameter	0.47"	0.47"	0.47"	0.60"	0.64"
D-Stud Diameter	0.37"	0.37"	0.37"	0.37"	0.37"
E-Stud Height	0.35"	0.35"	0.35"	0.37"	0.35"

CHAMBER SAFETY FLAG

- » Bright Red for High Visibility and Reliable Confirmation of an Unloaded Firearm
- » Molded from Impact Resistant Polymer with Reinforced Head for Maximum Durability
- » Ideal for Cold Range Use and Mass Produced Firearms
- / RB-CSF06 (Set of 6)

AK/SKS FRONT SIGHT TOOL

- » An Essential Tool for Making Fine Front Sight Post Windage and Elevation Adjustments
- » Compatible with AK, SKS, MAK, and SLR95 Pattern Rifles
- / SCP-WEA05



- Easy Forend Removal and Installation
- » Compatible with REMINGTON® 870™,
- / TL-SHWR01



TOOLS & MAINTENANCE





AR15/AR308 ARMORER'S MULTI-FUNCTION COMBO WRENCH

- » Provides the Tools to Install and Remove Parts Often Replaced and or Reinstalled on Both the AR15 and AR308 Platforms such as: Standard A2 Flash Hider, Delta Ring Assembly, Rifle Length Buffer Tube, Carbine Buffer Tube Castle Nut, and More
- » Steel Construction with Wear Resistant Finish for Long Lasting Durability
- / TL-ARWR01






- » Includes a 5-piece Extension Steel Cleaning Rod with Adaptor, Patch Loop, Bronze Bore Brush, Chamber Brush, Double-Ended Nylon Utility Brush,
- » All Parts Conveniently Store within the Included OD Green Nylon Pouch with Belt Loop and ALICE Clip Attachment Point and Featuring Two Hook-and-loop
- / TL-A041


½ oz Oil Bottle, and Cleaning Patches

with 7 Picatinny Slots / MNT-P501 (Set of 2) One 6.08" Length Rail with 13 Picatinny Slots and Two 3.87" Length Rails with 7 Picatinny Slots / MNT-P503 (Set of 3) Three 6.08" Length Rails with 13 Picatinny Slots

Two 3.87" Length Rails / MNT-P505 (Set of 3)



G36 PICATINNY RAIL SETS





UTG PRO®

M-LOK® PICATINNY

RAIL SECTIONS



.223/5.56 CLEANING KIT

- Closure Pockets and External Snap Button Flap



9 MM PISTOL CLEANING KIT

» Conveniently Stows Away in Any Range

» Kit Includes an 8-32 Threaded Copper Alloy

Cleaning Rod with the Following Threaded

Cleaning Accessories: Patch Loop, Bronze

Bag in Its Compact Polymer Case

and Nylon Brush, and a Cotton Mop

(4.63"x2.88"x1.50")

/ TL-CLP9MMKT



MINI AR15 ARMORER'S WRENCH

/ TL-ARWR02

» Provides the Tools to Install and Remove Parts Often Replaced and or Reinstalled

on the AR15 Platforms such as: Standard A2 Flash Hider, Delta Ring Barrel Nut Assembly, Rifle Length Buffer Tube, Carbine Buffer Tube Castle Nut, and More

» Steel Construction with Wear Resistant Finish for Long Lasting Durability

- » Nickel Plated Steel Construction
- » User Friendly with Ergonomic Handles for
- MOSSBERG® 500A/C, 835, and Other Clones

ACCESSORIES & PARTS

RAIL SECTIONS & COVERS

M-LOK® ANGLED PICATINNY MOUNT

» Angled Offset Optimally Positions Lights, Optics,

or Other Accessories at the 11 or 1 O'clock

» Durable Matte Black Anodized Aluminum

» Removable Spacer Adjusts Clearance to Fit

Positions on Most Handguards

Various Handguard Profiles

LOW PROFILE M-LOK® RAIL

Provides a Sure Grip Every Time

for Added Grip Traction

/ RB-HP30M (Set of 4)

» Molded from Durable Impact and Heat

» 3.15" in Length, Slim, Lightweight, and Securely

Resistant Polymer with a Rubberized Overmold

Installs via Two M-LOK® Screws and Nuts

» Unique Aggressive Nonslip Textured Design

Construction

/ MT-MP45

PANEL COVER